

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	110	717/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:40
L2	12065	(product near3 configur\$5) and (compatib\$5 or incompatibil\$5 or select\$3 or build\$3 or bundl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:13
L3	1300	(product near3 configur\$5) and (determin\$3 near3 (compatib\$5 or incompatibil\$5 or select\$3 or build\$3 or bundl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:17
L4	8	(product near3 configur\$5) and (determin\$3 near3 (compatib\$5 or incompatibil\$5 or select\$3 or build\$3 or bundl\$3)) and (replac\$3 near2 part) and (exist\$4 near2 part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:15
L5	21	(product near3 configur\$5) and (determin\$3 near3 (compatib\$5 or incompatibil\$5 or select\$3 or build\$3 or bundl\$3)) and dell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:41
L6	28	("4796194" "4835683" "5019961" "5019992" "5065338" "5355317" "5357440" "5515524" "5586052" "5630025" "5659478" "5680530" "5708798" "5745765" "5748943" "5761674" "5781446" "5781454" "5805861" "5808432" "5809282" "5825651" "5856925" "5963953" "6023699").PN. OR ("6405308"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 10:28
L7	43	(product near3 configur\$5) and (custom\$7 build) and dell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:41
L8	12	(product near3 configur\$5) and (custom\$7 near3 build) and dell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:43

L9	250	(select\$3) and custom\$7 and dell. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:43
L10	54	("5963743").URPN.	USPAT	OR	OFF	2005/04/28 11:35
L11	2	("6080207" "6516242").pn.	USPAT	OR	OFF	2005/04/28 11:35

Search: ☒ The ACM Digital Library ☐ The Guide

configuration integration compatibility



THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

configuration integration compatibility

Found 21,259 of 154,226

Sort

results

by

Display results [Save results to a](#)[Binder](#) [Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [The data model of the configuration management assistant \(CMA\)](#)**

E. Ploedereder, A. Fergany

October 1989 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2nd International Workshop on Software configuration management, Volume 14 Issue 7**Full text available: pdf
(1.05 MB)Additional Information: [full citation](#), [abstract](#),
[references](#), [citations](#), [index terms](#)

In an environment in which systems are configured by reusing existing subsystems, the determination of complete and consistent configurations is a non-trivial and error-prone task, although considerable information about the subsystems may already be available from previous configurations. The Configuration Management Assistant is a tool that supports tracking and exploiting such information in the difficult process of re-configuration on a large scale. Its data model was designed to be as ...

2 [A decision-based configuration process model](#)

T. Rose, M. Jarke


February 1990 **Proceedings of the 12th international conference on Software engineering**Full text available: pdf
(1.39 MB)Additional Information: [full citation](#), [references](#),
[citations](#), [index terms](#)**3 [A process-oriented approach to configuration management](#)**

Yves Bernard, Pierre Lavency

May 1989 **Proceedings of the 11th international conference on Software engineering**Full text available: pdf
(1.18 MB)Additional Information: [full citation](#), [references](#),

[MB\)](#)[citations, index terms](#)**4 [A case study: demands on component-based development](#)**

Ivica Crnkovic, Magnus Larsson

June 2000 **Proceedings of the 22nd international conference on Software engineering**Full text available:  [pdf](#)
(141.06
KB)Additional Information: [full citation](#), [abstract](#),
[references](#), [index terms](#)

Building software systems with reusable components brings many advantages. The development becomes more efficient, the reliability of the products is enhanced, and the maintenance requirement is significantly reduced. Designing, developing and maintaining components for reuse is, however, a very complex process which places high requirements not only for the component functionality and flexibility, but also for the development organization. In this paper we discuss the different levels of c ...

Keywords: architecture, component-based development, development environment, reuse, standard components

Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback Report a problem](#) [Satisfaction survey](#)Terms used **product configuration compatibility**

Found 19,297 of 154,226

Sort results by Display results

[Save results to a Binder](#) [Search Tips](#) ☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [Coordination order processing in decentralized production units using hierarchical simulation models and Web-technologies](#)**

W. E. Lulay, G. Reinhart

December 1998 **Proceedings of the 30th conference on Winter simulation**

Full text available: [pdf](#) (336.75 KB)
 Additional Information: [full citation](#), [references](#), [index terms](#)

2 [A new approach to consistency control in software engineering](#)

Georg Heidenreich, Mark Minas, Detlef Kips

May 1996 **Proceedings of the 18th international conference on Software engineering**


Full text available: [pdf](#) (889.98 KB)
 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
[Publisher](#)
[Site](#)

Quality assurance methods as suggested by standards like ISO 9000 focus on the principle of review and feedback loops, which may be implemented by computer-based software process management including life cycle models, version control, and change tracking. Provided that the software process is modelled independently of concrete design methods, development tools, and software representations, a general representation of quality assurance methods can be obtained. In our paper we introduce such a h ...


Keywords: ISO 9000, ISO standards, change tracking, compilers, computer-based software process management, configuration management, consistency control, high-level formalism, life cycle models, project management, quality assurance, software development management, software engineering, software process, software project management, software quality, software representations, standards, version control

3 A decision-based configuration process model

T. Rose, M. Jarke

February 1990 **Proceedings of the 12th international conference on Software engineering**Full text available:  pdf
(1.39
MB)Additional Information: [full citation](#), [references](#),
[citations](#), [index terms](#)**4** Compatibility, standards, and software production

Giancarlo Succi, Andrea Valerio, Tullio Vernazza, Gianpiero Succi

December 1998 **StandardView**, Volume 6 Issue 4Full text available:  pdf
(174.41
KB)Additional Information: [full citation](#), [references](#)